







Performance curves

SWCV 62(H)(K)3







823255b

- Key: DE823000L/170408
- \dot{V}_{HW} Heating water volume flow rate
 - \dot{V}_{WQ} Heat source volume flow rate
 - $Temp_{WQ}$ Heat source temperature
 - Q_h Heating capacity
 - Pe Power consumption
 - COP Coefficient of performance
 - $\Delta p_{HW} / \Delta p_{HW/K}$ Heating circuit free pressure / Heating circuit with cooling free pressure
 - $\Delta p_{WQ} / \Delta p_{WQ/K}$ Heat source free pressure / Heat source with cooling free pressure



SWCV 92(H)(K)3

Performance curves







823277

Key:	DE823000L/170408
\dot{V}_{HW}	Heating water volume flow rate
\dot{V}_{WQ}	Heat source volume flow rate
$Temp_{WQ}$	Heat source temperature
Q_h	Heating capacity
Pe	Power consumption
COP	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{WQ} / \Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure



Performance curves

SWCV 122(H)(K)3







823274b

- Key: DE823000L/170408
- \dot{V}_{HW} Heating water volume flow rate
 - \dot{V}_{WQ} Heat source volume flow rate
 - Temp_{WQ} Heat source temperature
 - Q_h Heating capacity
 - Pe Power consumption
 - COP Coefficient of performance
 - $\Delta p_{HW} / \Delta p_{HW/K}$ Heating circuit free pressure / Heating circuit with cooling free pressure
 - $\Delta p_{WQ} / \Delta p_{WQ/K}$ Heat source free pressure / Heat source with cooling free pressure



SWCV 162(H)(K)3

Performance curves



823256b

Key:	DE823000L/170408
\dot{V}_{HW}	Heating water volume flow rate
\dot{V}_{WQ}	Heat source volume flow rate
Temp _{WQ}	Heat source temperature
Q _h	Heating capacity
Pe	Power consumption
COP	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{WQ} / \Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure