








# Performance curves

SWC 42(H)(K)3








823239

- Key: DE823000L/170408
- $\dot{V}_{HW}$  Heating water volume flow rate
  - $\dot{V}''$  Heat source volume flow rate
  - $Temp_{WQ}$  Heat source temperature
  - $Q_h$  Heating capacity
  - $P_e$  Power consumption
  - $COP$  Coefficient of performance
  - $\Delta p_{HW} / \Delta p_{HW/K}$  Heating circuit free pressure / Heating circuit with cooling free pressure
  - $\Delta p_{WQ} / \Delta p_{WQ/K}$  Heat source free pressure / Heat source with cooling free pressure



# SWC 62(H)(K)3

# Performance curves








823240

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
$Temp_{wQ}$	Heat source temperature
$Q_h$	Heating capacity
$Pe$	Power consumption
$COP$	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{wQ} / \Delta p_{wQ/K}$	Heat source free pressure / Heat source with cooling free pressure



# Performance curves

# SWC 82(H)(K)3








823241

- Key: DE823000L/170408
- $\dot{V}_{HW}$  Heating water volume flow rate
  - $\dot{V}''$  Heat source volume flow rate
  - $Temp_{WQ}$  Heat source temperature
  - $Q_h$  Heating capacity
  - $Pe$  Power consumption
  - $COP$  Coefficient of performance
  - $\Delta p_{HW} / \Delta p_{HW/K}$  Heating circuit free pressure / Heating circuit with cooling free pressure
  - $\Delta p_{WQ} / \Delta p_{WQ/K}$  Heat source free pressure / Heat source with cooling free pressure



# SWC 102(H)(K)3

# Performance curves








823242

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
$Temp_{wQ}$	Heat source temperature
$Q_h$	Heating capacity
$Pe$	Power consumption
COP	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{wQ} / \Delta p_{wQ/K}$	Heat source free pressure / Heat source with cooling free pressure



# Performance curves

# SWC 122(H)(K)3








823243

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
$Temp_{wQ}$	Heat source temperature
$Q_h$	Heating capacity
$Pe$	Power consumption
COP	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{wQ} / \Delta p_{wQ/K}$	Heat source free pressure / Heat source with cooling free pressure



# SWC 142(H)(K)3

# Performance curves








823244

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
$Temp_{WQ}$	Heat source temperature
$Q_h$	Heating capacity
$Pe$	Power consumption
COP	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{WQ} / \Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure



# Performance curves

# SWC 172(H)(K)3








823245

- Key: DE823000L/170408
- $\dot{V}_{HW}$  Heating water volume flow rate
  - $\dot{V}''$  Heat source volume flow rate
  - $Temp_{WQ}$  Heat source temperature
  - $Q_h$  Heating capacity
  - $Pe$  Power consumption
  - $COP$  Coefficient of performance
  - $\Delta p_{HW} / \Delta p_{HW/K}$  Heating circuit free pressure / Heating circuit with cooling free pressure
  - $\Delta p_{WQ} / \Delta p_{WQ/K}$  Heat source free pressure / Heat source with cooling free pressure



# SWC 192(H)(K)3

# Performance curves



823246

Key:	DE823000L/170408
$\dot{V}_{HW}$	Heating water volume flow rate
$\dot{V}''$	Heat source volume flow rate
$Temp_{WQ}$	Heat source temperature
$Q_h$	Heating capacity
$Pe$	Power consumption
COP	Coefficient of performance
$\Delta p_{HW} / \Delta p_{HW/K}$	Heating circuit free pressure / Heating circuit with cooling free pressure
$\Delta p_{WQ} / \Delta p_{WQ/K}$	Heat source free pressure / Heat source with cooling free pressure